LKCP 475 - DONUT LOAD CELL

odel LKCP 475 is a donut shaped load cell, and is an economical answer for applications requiring a through-hole design. Such applications include bolt force measurement, post or leg mount and rolling mill systems. These models are used in compression applications. For optimum performance these models must be mounted between load surfaces which are flat and parallel. The extremely low profile and compact design, combined with their all stainless steel construction and environmental protection have a proven reliability in tough industrial applications.

SPECIFICATIONS


LOAD RANGES:	5 lb to 10,000 lb
ACCURACY:	±0.5% F.S.
LINEARITY:	±0.5% F.S.
REPEATABILITY:	±0.1% F.S.
MATERIAL:	Stainless Steel
TEMPERATURE RANGE:	60° to 160° F
OUTPUT:	2 mV/V
BRIDGE RESISTANCE:	350 ohm
EXCITATION:	10 Vdc
SAFE OVERLOAD:	150% of Capacity
CARLE:	5 ft

 \sim	DE		ONLY
CU	ME	33	ONLI


- THRU-HOLE DESIGN
- STAINLESS STEEL



DIMENSIONS	O.D	Н
5 to 100 lb	2.00	0.37
250 to 10,000 lb	2.00	0.63







Capacity	.125"	.188"	.250"	.375"	.500"	.625"	.750"	.875"	1.00"
5	X	X	X	X	X	X			
10	X	X	X	X	X	X			
25	X	X	X	X	X	X			
50	X	X	X	X	X	X			
100	X	X	X	X	X	X			
250	X	X	X	X	X	X	X	X	
500	X	X	X	X	X	X	X	X	X
1000	X	X	X	X	X	X	X	X	X
2000		X	X	X	X	X	X	X	X
3000			X	X	X	X	X	X	
5000			X	X	X	X	X		
7500				X	X				
10,000				X	X				